EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	100	("20050246297" "20050209982" "5502688" "6135965" "6445988" "5581657" "5486996" "6360191" "5214746" "5249259" "5706321" "5778317" "5809488" "5832466" "5867397" "6023459" "6470261" "6553357" "6601053" "6658396" "20020059154" "20020077756" "20020174079" "20030191728" "20030204319" "20030204320" "20030212645" "20040030503" "20040177081" "20050004905" "20050055340" "20060025961" "5777888" "6751601" "6944319" "7016885" "20020032557" "20040093315" "20050147291" "20050147292" "5862513" "5251286" "5373486" "5444619" "5828981" "5940777" "20040133531" "5245696" "5568590" "5701400").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:20
L2	797582	(neural neuron neuronic neuronal) adj (net network) (artificial adj intelligence) ai learning logic inference neuralnet ((computer machine) adj learning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:22
L3	164298	(genetic adj1 algorithm) GA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:23
L4	393	(neural adj1 (net network) adj1 (ensemble set group))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:24
L5	1938	negative adj1 correlation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:25
L6	10	((open adj1 hole) (case adj1 hole)) near2 (logging adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:26

EAST Search History

L7	11	((open adj1 hole) (case adj1 hole)) same (logging adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:26
L8	0	pulse adj1 neutron adj1 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:27
L9	663	pulse near2 neutron	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:27
L10	17260	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:27
L11	88	10 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:33
L12	1	11 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:29
L13	4	3 and 4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:30
L14	9	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:47
L15	8204	well near2 (log record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:33
L16	3492607	oil gas	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:33

EAST Search History

L17	337	15 with 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:34
L18	50	2 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:34
L19	0	14 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:48
L20	23	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/09/22 22:48
L21	0	20 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/22 22:48



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

neural network ensemble and well-logging data

SEARCH

the acm dicital library

Feedback Report a problem Satisfaction survey

Terms used <u>neural network ensemble</u> and <u>well logging</u> data

Found **59,528** of **185,178**

Sort results by

Display

results

relevance expanded form .

Save results to a Binder Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

window

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10

next

Relevance scale

Best 200 shown

Intrusion and privacy: Exploiting unlabeled data in ensemble methods

Kristin P. Bennett, Ayhan Demiriz, Richard Maclin

July 2002 Proceedings of the eighth ACM SIGKDD international conference on Knowledge discovery and data mining

Publisher: ACM Press

Full text available: 🔁 pdf(719.46 KB) Additional Information: full citation, abstract, references, index terms

An adaptive semi-supervised ensemble method, ASSEMBLE, is proposed that constructs classification ensembles based on both labeled and unlabeled data. ASSEMBLE alternates between assigning "pseudo-classes" to the unlabeled data using the existing ensemble and constructing the next base classifier using both the labeled and pseudolabeled data. Mathematically, this intuitive algorithm corresponds to maximizing the classification margin in hypothesis space as measured on both the labeled and unlabel ...

Keywords: boosting, classification, ensemble learning, semi-supervised learning

2 The principled design of large-scale recursive neural network architectures--dag-rnns and the protein structure prediction problem

Pierre Baldi, Gianluca Pollastri

December 2003 The Journal of Machine Learning Research, Volume 4

Publisher: MIT Press

Full text available: 📆 pdf(231.40 KB) Additional Information: full citation, abstract, references, index terms

We describe a general methodology for the design of large-scale recursive neural network architectures (DAG-RNNs) which comprises three fundamental steps: (1) representation of a given domain using suitable directed acyclic graphs (DAGs) to connect visible and hidden node variables; (2) parameterization of the relationship between each variable and its parent variables by feedforward neural networks; and (3) application of weight-sharing within appropriate subsets of DAG connections to capture s ...

³ Genetic algorithms: Evolving neural network ensembles for control problems

David Pardoe, Michael Ryoo, Risto Miikkulainen

June 2005 Proceedings of the 2005 conference on Genetic and evolutionary computation GECCO '05

Publisher: ACM Press

Full text available: pdf(121.49 KB) Additional Information: full citation, abstract, references, index terms

In neuroevolution, a genetic algorithm is used to evolve a neural network to perform a particular task. The standard approach is to evolve a population over a number of generations, and then select the final generation's champion as the end result. However, it is possible that there is valuable information present in the population that is not captured by the champion. The standard approach ignores all such information. One possible solution to this problem is to combine multiple individuals fro ...

Keywords: ensembles, genetic algorithms, neural networks, reinforcement learning

Application of neural networks to biological data mining: a case study in protein

sequence classification

Jason T. L. Wang, Qicheng Ma, Dennis Shasha, Cathy H. Wu

August 2000 Proceedings of the sixth ACM SIGKDD international conference on Knowledge discovery and data mining

Publisher: ACM Press

Full text available: 🔁 pdf(181.04 KB) Additional Information: full citation, references, citings, index terms

Keywords: bioinformatics, biological data mining, feature extraction from protein data, machine learning, neural networks, sequence alignment


Designing committees of models through deliberate weighting of data points Stefan W. Christensen, Ian Sinclair, Philippa A. S. Reed December 2003 The Journal of Machine Learning Research, Volume 4

Publisher: MIT Press

Full text available: Topdf(205.46 KB) Additional Information: full citation, abstract, references, index terms

In the adaptive derivation of mathematical models from data, each data point should contribute with a weight reflecting the amount of confidence one has in it. When no additional information for data confidence is available, all the data points should be considered equal, and are also generally given the same weight. In the formation of committees of models, however, this is often not the case and the data points may exercise unequal, even random, influence over the committee formation. In this ...

6 Contributed articles on online, interactive, and anytime data mining: MobiMine:



Hillol Kargupta, Byung-Hoon Park, Sweta Pittie, Lei Liu, Deepali Kushraj, Kakali Sarkar January 2002 ACM SIGKDD Explorations Newsletter, Volume 3 Issue 2

Publisher: ACM Press

Full text available: pdf(1.16 MB) Additional Information: full citation, abstract, references, citings

This paper describes an experimental mobile data mining system that allows intelligent monitoring of time-critical financial data from a hand-held PDA. It presents the overall system architecture and the philosophy behind the design. It explores one particular aspect of the system---automated construction of personalized focus area that calls for user's attention. This module works using data mining techniques. The paper describes the data mining component of the system that employs a novel Four ...

7 Cluster ensembles --- a knowledge reuse framework for combining multiple partitions Alexander Strehl, Joydeep Ghosh



March 2003 The Journal of Machine Learning Research, Volume 3

Publisher: MIT Press

Additional Information:

Full text available: pdf(842.50 KB)

full citation, abstract, references, citings, index

This paper introduces the problem of combining multiple partitionings of a set of objects into a single consolidated clustering without accessing the features or algorithms that determined these partitionings. We first identify several application scenarios for the resultant 'knowledge reuse' framework that we call cluster ensembles. The cluster ensemble problem is then formalized as a combinatorial optimization problem in terms of shared mutual information. In addition to a direct ...

Keywords: cluster analysis, clustering, consensus functions, ensemble, knowledge reuse, multi-learner systems, mutual information, partitioning, unsupervised learning

⁸ Learning Ensembles from Bites: A Scalable and Accurate Approach Nitesh V. Chawla, Lawrence O. Hall, Kevin W. Bowyer, W. Philip Kegelmeyer December 2004 The Journal of Machine Learning Research, Volume 5

Publisher: MIT Press

Full text available: pdf(3.34 MB) Additional Information: full citation, abstract, references, index terms

Bagging and boosting are two popular ensemble methods that typically achieve better accuracy than a single classifier. These techniques have limitations on massive data sets, because the size of the data set can be a bottleneck. Voting many classifiers built on small subsets of data ("pasting small votes") is a promising approach for learning from massive data sets, one that can utilize the power of boosting and bagging. We propose a framework for building hundreds or thousands of such classifie ...


Neural networks and dynamic complex systems

Geoffrey Fox, Wojtek Furmanski, Alex Ho, Jeff Koller, Peter Simic, Isaac Wong March 1989 Proceedings of the 22nd annual symposium on Simulation ANSS '89 Publisher: IEEE Computer Society Press

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>index terms</u> Full text available: pdf(1.44 MB)

We describe the use of neural networks for optimization and inference associated with a variety of complex systems. We show how a string formalism can be used for parallel computer decomposition, message routing and sequential optimizing compilers. We extend these ideas to a general treatment of spatial assessment and distributed artificial intelligence.

10 Information access and retrieval (IAR): Text classification based on data partitioning



Yan-Shi Dong, Ke-Song Han

March 2005 Proceedings of the 2005 ACM symposium on Applied computing SAC '05 Publisher: ACM Press

Full text available: pdf(231.21 KB) Additional Information: full citation, abstract, references, index terms

Support vector machines (SVM) are among the best text classifiers so far. Meantimes, ensembles of classifiers are proven to be effective on many domains. It is expected that ensembles of SVM classifiers could achieve better performance. In this paper two types of ensembles on SVM classifiers, the data partitioning ensembles and heterogeneous ensembles, have been proposed and experimentally evaluated on three well-accepted collections. Major conclusions are that disjunct partitioning ensembles wi ...

Keywords: ensemble, support vector machines, text classification

11 Article abstracts with full text online: Evaluation of various training algorithms in a



neural network model for software engineering applications

K. K. Aggarwal, Yogesh Singh, Pravin Chandra, Manimala Puri



Publisher: ACM Press

Full text available: pdf(412.13 KB) Additional Information: full citation, abstract, references, index terms

Software Engineering as a discipline emerged in response to the software crisis perceived by the industry. It is a well known fact that at the beginning of any project, the software industry needs to know how much will it cost to develop and what would be the time required. Resource estimation in software engineering is more challenging than resource estimation in any other industry. A number of resource estimation methods are currently available and the neural network model is one of them. This ...

Keywords: neural network, resource estimation, software engineering, training algorithm

12 Research track posters: Model compression

Cristian Bucilu□, Rich Caruana, Alexandru Niculescu-Mizil

August 2006 Proceedings of the 12th ACM SIGKDD international conference on Knowledge discovery and data mining KDD '06

Publisher: ACM Press

Full text available: pdf(1.09 MB) Additional Information: full citation, abstract, references, index terms

Often the best performing supervised learning models are ensembles of hundreds or thousands of base-level classifiers. Unfortunately, the space required to store this many classifiers, and the time required to execute them at run-time, prohibits their use in applications where test sets are large (e.g. Google), where storage space is at a premium (e.g. PDAs), and where computational power is limited (e.g. hea-ring aids). We present a method for "compressing" large, complex ensembles into smaller ...

Keywords: model compression, supervised learning

13 Round robin classification

Johannes Fürnkranz

March 2002 The Journal of Machine Learning Research, Volume 2


Publisher: MIT Press

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> Full text available: pdf(250.25 KB)

In this paper, we discuss round robin classification (aka pairwise classification), a technique for handling multi-class problems with binary classifiers by learning one classifier for each pair of classes. We present an empirical evaluation of the method, implemented as a wrapper around the Ripper rule learning algorithm, on 20 multi-class datasets from the UCI database repository. Our results show that the technique is very likely to improve Ripper's classification accuracy without having a hi ...

Keywords: class binarization, ensemble techniques, inductive rule learning, multi-class problems, pairwise classification

14 <u>Technical Correspondence: A neural net compiler system for hierarchical</u>



February 2001 ACM SIGPLAN Notices, Volume 36 Issue 2

Publisher: ACM Press

Full text available: pdf(954.76 KB) Additional Information: full citation, abstract, references

We present a language framework for handling arbitrarily complex neural computations. The software architecture - which we call an Artificial Neural Network Compiler for **H**ierarchical **OR**ganization (ANCHOR) - facilitates network hierarchy and simpler submappings. We define a Net Definition Language (NDL) which is implemented in objectoriented programming paradigm; a trained network is decompiled bac ...

Keywords: compiler-decompiler, hierarchical networks, neural net definitions, neural programming language, superneuron

15 Research track: Mining concept-drifting data streams using ensemble classifiers

Haixun Wang, Wei Fan, Philip S. Yu, Jiawei Han

August 2003 Proceedings of the ninth ACM SIGKDD international conference on Knowledge discovery and data mining

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(234.13 KB) terms

Recently, mining data streams with concept drifts for actionable insights has become an important and challenging task for a wide range of applications including credit card fraud protection, target marketing, network intrusion detection, etc. Conventional knowledge discovery tools are facing two challenges, the overwhelming volume of the streaming data, and the concept drifts. In this paper, we propose a general framework for mining concept-drifting data streams using weighted ensemble classifi ...

Keywords: classifier, classifier ensemble, concept drift, data streams

16 Special issue on learning from imbalanced datasets: Minority report in fraud

detection: classification of skewed data

Clifton Phua, Damminda Alahakoon, Vincent Lee

June 2004 ACM SIGKDD Explorations Newsletter, Volume 6 Issue 1

Publisher: ACM Press

Full text available: pdf(262.38 KB) Additional Information: full citation, abstract, references, citings

This paper proposes an innovative fraud detection method, built upon existing fraud detection research and Minority Report, to deal with the data mining problem of skewed data distributions. This method uses backpropagation (BP), together with naive Bayesian (NB) and C4.5 algorithms, on data partitions derived from minority oversampling with replacement. Its originality lies in the use of a single meta-classifier (stacking) to choose the best base classifiers, and then combine these base ...

Keywords: fraud detection, meta-learning, multiple classifier systems

17 Building predictors from vertically distributed data

Sabine McConnell, David B. Skillicorn

October 2004 Proceedings of the 2004 conference of the Centre for Advanced Studies on Collaborative research

Publisher: IBM Press

Full text available: pdf(184.78 KB) Additional Information: full citation, abstract, references, index terms

Due in part to the large volume of data available today, but more importantly to privacy concerns, data are often distributed across institutional, geographical and organizational boundaries rather than being stored in a centralized location. Data can be distributed by separating objects or attributes: in the homogeneous case, sites contain subsets of objects with all attributes, while in the heterogeneous case sites contain subsets of attributes for all objects. Ensemble approaches combine t ...

18 Hypercube algorithms for neural network simulation: the Crystal Accumulator and





the Crystal Router G. C. Fox, W. Furmanski

> January 1988 Proceedings of the third conference on Hypercube concurrent computers and applications: Architecture, software, computer systems, and general issues - Volume 1

Publisher: ACM Press

Full text available: pdf(466.00 KB)

Additional Information: full citation, abstract, references, citings, index

We discuss communication algorithms relevant for neural network modeling on distributed memory concurrent computers with a hypercube topology. Full, intermediate (medium range) and sparse network connectivities are analyzed. We point out that the flexible hypercube topology allows for the efficient implementation of the broad class of network algorithms with variety of connectivity patterns. We find algorithms index, crystal router, fold an ...

19 The distributed boosting algorithm



Aleksandar Lazarevic, Zoran Obradovic August 2001 Proceedings of the seventh ACM SIGKDD international conference on

Knowledge discovery and data mining

Publisher: ACM Press

Full text available: 📆 pdf(625.23 KB) Additional Information: full citation, abstract, references, index terms

In this paper, we propose a general framework for distributed boosting intended for efficient integrating specialized classifiers learned over very large and distributed homogeneous databases that cannot be merged at a single location. Our distributed boosting algorithm can also be used as a parallel classification technique, where a massive database that cannot fit into main computer memory is partitioned into disjoint subsets for a more efficient analysis. In the proposed method, at each boost ...

Keywords: Boosting, classifier ensembles, distributed learning

20 Attribute Clustering for Grouping, Selection, and Classification of Gene Expression



Wai-Ho Au, Keith C. C. Chan, Andrew K. C. Wong, Yang Wang

April 2005 IEEE/ACM Transactions on Computational Biology and Bioinformatics (TCBB), Volume 2 Issue 2

Publisher: IEEE Computer Society Press

Full text available: pdf(2.58 MB) Additional Information: full citation, abstract, references, index terms

This paper presents an attribute clustering method which is able to group genes based on their interdependence so as to mine meaningful patterns from the gene expression data. It can be used for gene grouping, selection, and classification. The partitioning of a relational table into attribute subgroups allows a small number of attributes within or across the groups to be selected for analysis. By clustering attributes, the search dimension of a data mining algorithm is reduced. The reduction of ...

Keywords: Data mining, attribute clustering, gene selection, gene expression classification, microarray analysis.

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player

Sign in



Web <u>Images Video^{New!} News Maps **more** »</u>

"neural network ensemble" +"genetic algorith | Search | Advanced Search | Preferences

Web Results 1 - 10 of about 576 for +"neural network ensemble" +"genetic algorithm" (0.26 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

Genetic Algorithm based Selective Neural Network Ensemble - Zhou ... Neural network ensemble is a learning paradigm where several neural networks are jointly used to solve a problem. In this paper, the relationship between ... citeseer.ist.psu.edu/zhou01genetic.html - 27k - Cached - Similar pages

A Genetic Algorithm Approach for Creating Neural-Network Ensembles ... A neural network ensemble is a successful technique where the outputs of a set of ... A Genetic Algorithm Approach for Creating Neural-Network Ensembles ... citeseer.ist.psu.edu/opitz99genetic.html - 22k - Cached - Similar pages [More results from citeseer.ist.psu.edu]

A Pruning Algorithm for Training Cooperative Neural Network ...
Key Words: neural network ensemble, ensemble design, ... "Multistage classifiers optimized by neural networks and genetic algorithm," Nonlinear Anal. ... ietisy.oxfordjournals.org/cgi/content/refs/E89-D/3/1257 - Similar pages

[PDF] <u>Using Neural Network Ensemble with Genetic Algorithms and Ontology ...</u> File Format: PDF/Adobe Acrobat - <u>View as HTML</u>

(Genetic Algorithm based Semantic Perceptron Net) was developed. The new. system uses a neural network ensemble to successfully identify a topic, instead of ... homepage.uibk.ac.at/~c703305/publications/nnespn-cscs2003.pdf - <u>Similar pages</u>

Artificial neural network - Wikipedia, the free encyclopedia
This corrects the bias of the neural network ensemble. ... Expert system · Fuzzy logic · Genetic algorithm · Gnod, a Kohonen network application. ...
en.wikipedia.org/wiki/Artificial_neural_network - 106k - Cached - Similar pages

List of accepted papers

Groebner Matthias, P.Wilke, Rostering with a Hybrid **Genetic Algorithm** ... of Expensive Functions by Surrogates Created from **Neural Network Ensemble** ... www.cs.cas.cz/icannga/accept.htm - 66k - <u>Cached</u> - <u>Similar pages</u>

Potential Projects for Third-Year and MSc Students
... and train a neural network ensemble to learn from the data. ... an evolutionary algorithm (eg, a genetic algorithm) with a local search algorithm (eg, ... www.cs.bham.ac.uk/~xin/student-projects.html - 12k - Cached - Similar pages

Genetic algorithm based selection of neural network ensemble for ...

Freshpatents.com offers information on a variety of new patent applications and inventions, updated each week - check out Genetic algorithm based selection ...

www.freshpatents.com/Genetic-algorithm-based-selection-of-neural-network-ensemble-for-processing-well-log... - 26k - Cached - Similar pages

[PDF] Genetic Algorithm Optimized Neural Networks Ensemble for ...

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>

Key words: neural network ensemble, genetic algorithm, principal components, UV spectrophotometry, mefenamic. acid, paracetamol. Introduction ...

acta.chem-soc.si/52/52-4-440.pdf - Similar pages

[PDF] Corel Ventura - untitled.chp

File Format: PDF/Adobe Acrobat - View as HTML

Genetic Algorithm based Selective Neural Network Ensemble. Zhi-Hua Zhou Jian-Xin

Wu Yuan Jiang Shi-Fu Chen. National Laboratory for Novel Software ... www-static.cc.gatech.edu/~wujx/paper/IJCAI-2001.pdf - Similar pages

Gooooooogle ▶

Result Page:

1 2 3 4 5 6 7 8 9 10

Next

Free! Speed up the web. Download the Google Web Accelerator.

+"neural network ensemble" +"genei

Search,

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google



+"neural network ensemble" +"genetic algorith Search



Advanced Scholar Search Scholar Preferences

Scholar All articles Recent articles Results 1 - 10 of about 73 for +"neural network ensemble" +"genetic

All Results

Z Zhou **G** Brown J Wu P Melville

X Yao

Genetic algorithm based selective neural network ensemble - group of 2 »

ZH Zhou, JX Wu, Y Jiang, SF Chen - Proc. IJCAI - citeseer.ist.psu.edu

... and SF Chen", title = "Genetic algorithm based selective neural network ensemble" booktitle = "Proceedings ... learning via negative correlation - Liu, Yao ...

Cited by 16 - Related Articles - Cached - Web Search - BL Direct

A constructive algorithm for training cooperative neural network ensembles group of 5 »

MM Islam, X Yao, K Murase - Neural Networks, IEEE Transactions on, 2003 ieeexplore.ieee.org

... training is a special case of negative correlation learning ... in CNNE are trained by negative cor- relation ... the BKS method [25], genetic-algorithm-based selective ... Cited by 25 - Related Articles - Web Search - BL Direct

Using diversity in preparing ensembles of classifiers based on different feature subsets to minimize ... - group of 7 »

G Zenobi, P Cunningham - Lecture Notes in Computer Science, 2001 - Springer ... were obtained by Liu (1999), who introduced a negative correlation penalty term to ... to find a diverse ensemble of neural networks using a genetic algorithm ... Cited by 35 - Related Articles - Web Search - BL Direct

Neural network regularization and ensembling using multi-objective evolutionary algorithms - group of 5 »

Y Jin, T Okabe, B Sendhoff - Evolutionary Computation, 2004. CEC2004. Congress on, 2004 ieeexplore.ieee.org

... of two multi-objective optimization algorithms, the dynamic weighted aggregation (DWA) method and the elitist non-dominated sort- ing genetic algorithm (NSGA-I1 ... Cited by 12 - Related Articles - Web Search

The Use of the Ambiguity Decomposition in Neural Network Ensemble Learning Methods - group of 7 »

G Brown, JL Wyatt - 20th International Conference on Machine Learning (ICML'03 ..., 2003 hpl.hp.com

... in Neural Network Ensemble Learning Methods ... Abstract We analyze the formal grounding

behind Negative Correlation (NC) Learning, an en-semble learning ... Cited by 9 - Related Articles - View as HTML - Web Search - BL Direct

Ensembling neural networks: Many could be better than all - group of 13 » ZH Zhou, J Wu, W Tang - Artificial Intelligence, 2002 - cs.nju.edu.cn

... In general, a neural network ensemble is constructed in ... an approach named GASEN (Genetic Algorithm based Selective ... Now we define the correlation between the i ... Cited by 102 - Related Articles - View as HTML - Web Search

Ensemble of GA based Selective Neural Network Ensembles - group of 3 » JX Wu, ZH Zhou, ZQ Chen - Proceedings of the 8th International Conference on Neural ..., 2001 - wujx.myrice.com

... investigate why and how neural network ensemble works ... neural net- works with

negative

correlation learning and ... pendently and then employs genetic algorithm to se ... Cited by 7 - Related Articles - View as HTML - Web Search

Reducing fitness evaluations using clustering techniques and neural network ensembles - group of 3 »

Y Jin, B Sendhoff - Genetic and Evolutionary Computation Conference - Springer ... 13], decorrelation [16] or negative correlation [11,12 ... In this work, a genetic algorithm with local ... been used to generate the neural network ensemble, which can ... Cited by 6 - Related Articles - Web Search - BL Direct

Forecasting time series with genetic fuzzy predictor ensemble

D Kim, C Kim - Fuzzy Systems, IEEE Transactions on, 1997 - ieeexplore.ieee.org ... Moreover, many hybrid systems of neural networks, genetic algorithm, and fuzzy logic have been also introduced for improving the performances of prediction [8 ... Cited by 51 - Related Articles - Web Search - BL Direct

Combining Regression Estimators: GA-Based Selective Neural Network Ensemble - group of 4 »

ZH Zhou, JX Wu, W Tang, ZQ Chen - International Journal of Computational Intelligence and ..., 2001 - cs.nju.edu.cn

... In general, a neural network ensemble is constructed in two ... and Shavlik exploit a genetic algorithm to train ... Liu and Yao use negative correlation learning to ... Cited by 6 - Related Articles - View as HTML - Web Search - BL Direct

Goooooogle >

Result Page:

1 2 3 4 5 6 7 8

+"neural network ensemble" +"gene Search

Google Home - About Google - About Google Scholar

©2006 Google



+"neural network ensemble" +"five neural netw

Search

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar

Results 1 - 5 of 5 for +"neural network ensemble" +"five neural networks". (0.11 seconds)

All Results

Tip: Try removing quotes from your search to get more results.

M Pennington

Forecasting all-India summer monsoon rainfall using regional circulation principal components: A ... - group of 4 »

AJ Cannon, IG McKendry - International Journal of Climatology, 1999 - doi.wiley.com ... For each of the 15 predictor sets, five neural networks were initialized ... Neural network ensemble members were initialized with randomly assigned weight and ... Cited by 4 - Related Articles - Web Search - BL Direct

Explaining Predictions from a **Neural Network Ensemble** One at a Time - group of 7 »

R Wall, P Cunningham, P Walsh - Proceedings of the 6th European Conference on Principles of ..., 2002 - Springer

... Explaining Predictions from a **Neural Network Ensemble** One at a Time ... calculated using

10 fold cross validation with an ensemble of **five neural networks** per fold ... Related Articles - Web Search - BL Direct

Neural Network Ensemble Based Ant Colony Classification Rule Mining

C Chen, Y Chen, J He - log - doi.ieeecomputersociety.org

... In our experiment, every component neural network use three-layer BP network, and the **neural network ensemble** consists of **five neural networks** as the NEC4.5 ... Web Search

C4. 5 Rule Preceded by an Artificial **Neural Network Ensemble** for Medical Diagnosis

M Pennington, A Sharkey, M Pennington - dcs.shef.ac.uk i C4.5 Rule Preceded by an Artificial **Neural Network Ensemble** for Medical Diagnosis By Matt Pennington Dr Amanda Sharkey COM3021 8 th draft 07/05/2003 01:40 ... Related Articles - View as HTML - Web Search

Colorado Technical University - group of 2 »

K Schmidt - 2003 - iis-web.coloradotech.edu

... diversity and predictive accuracy of a **neural network ensemble** (a group of neural ... **ensemble** by simply examining the architecture of the ensemble members. ... Related Articles - View as HTML - Web Search

+"neural network ensemble" +"five n Search

Google Home - About Google - About Google Scholar

©2006 Google



+"neural network ensemble" +"five hidden nod | Search

Advanced Scholar Search Scholar Preferences

Scholar

Results 1 - 6 of 6 for +"neural network ensemble" +"five hidden nodes". (2.11 seconds)

Tip: Try removing quotes from your search to get more results.

COVNET: a cooperative coevolutionary model for evolving artificial neural networks - group of 2 »

N Garcia-Pedrajas, C Hervas-Martinez, J Munoz- ... - Neural Networks, IEEE Transactions on, 2003 ieeexplore.ieee.org

Page 1. IEEE TRANSACTIONS ON NEURAL NETWORKS, VOL. 14, NO. 3, MAY 2003 575 COVNET:

A Cooperative Coevolutionary Model for Evolving Artificial Neural Networks ...

Cited by 21 - Related Articles - Web Search - BL Direct

The Use of the Ambiguity Decomposition in Neural Network Ensemble Learning Methods group of 7 »

G Brown, JL Wyatt - 20th International Conference on Machine Learning (ICML'03 ..., 2003 - hpl.hp.com ... A neural network ensemble is a collection of neural networks. ... An ensemble con-sisting of two networks, each with five hidden nodes, was trained for 2000 ... Cited by 9 - Related Articles - View as HTML - Web Search - BL Direct

Learning and evolution by minimization of mutual information - group of 3 »

Y Liu, X Yao - Parallel Problem Solving from Nature VII (PPSN-2002) - Springer ... and M is the number of individual networks in the neural network ensemble. ... All the individual networks have five hidden nodes in an ensemble architecture. ... Cited by 3 - Related Articles - Web Search - BL Direct

Negative correlation learning and the ambiguity family of ensemble methods - group of 8 »

G Brown, J Wyatt - Proc. Int. Workshop on Multiple Classifier Systems (LNCS ... - Springer ... patterns). An ensemble consisting of two networks, each with five hidden nodes. was trained for 2000 it- erations with and without NC. ... Cited by 1 - Related Articles - Web Search - BL Direct

Techniques for biased data distributions and variable classification with neural networks applied to ... - group of 4 »

M Siermala, M Juhola - Computer Methods and Programs in Biomedicine, 2006 - Elsevier ... Recall that there are only two classes (positive and negative) for each disease at a time. Using, for example, five hidden nodes led to poor results. ... Related Articles - Web Search

AFIT/GM/ENP/99M-11 - group of 2 »

SJ Storch, U Captain - research.au.af.mil

... conditions. The need to forecast launch pad winds at KSC/CCAS provides a specific problem and impetus to develop a neural network ensemble weather model. ... Related Articles - View as HTML - Web Search

+"neural network ensemble" +"five h

Google Home - About Google - About Google Scholar

©2006 Google



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

	Sea	rch	Resu	Its
--	-----	-----	------	-----

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((neural <near> networks) <and> (well <near> logging <near> data))<in..." ⊠e-mail Your search matched 28 of 1415139 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options **Modify Search** View Session History (((neural <near> networks) <and> (well <near> logging <near> data))<in>metadata) Search New Search L Check to search only within this results set Display Format: Citation C Citation & Abstract » Other Resources (Available For Purchase) Top Book Results view selected items Select All Deselect All Data Mining by Kantardzic, M.; 1. An improved technique in porosity prediction: a neural network approach П Paperback, Edition: 1 Wong, P.M.; Gedeon, T.D.; Taggart, I.J.; View All 1 Result(s) Geoscience and Remote Sensing, IEEE Transactions on Volume 33, Issue 4, July 1995 Page(s):971 - 980 Digital Object Identifier 10.1109/36.406683 » Key AbstractPlus | Full Text: PDF(824 KB) | IEEE JNL Rights and Permissions IEEE Journal or **IEEE JNL** Magazine 2. Lithology determination from well logs with fuzzy associative memory ne **IEE JNL** IEE Journal or Magazine Hsien-Cheng Chang; Hui-Chuan Chen; Jen-Ho Fang; IEEE Conference **IEEE CNF** Geoscience and Remote Sensing, IEEE Transactions on Proceeding Volume 35, Issue 3, May 1997 Page(s):773 - 780 IEE Conference Digital Object Identifier 10.1109/36.582000 **IEE CNF** Proceeding AbstractPlus | References | Full Text: PDF(216 KB) | IEEE JNL IEEE STD IEEE Standard Rights and Permissions 3. Modular artificial neural network for prediction of petrophysical propertie Chun Che Fung; Kok Wai Wong; Eren, H.; Instrumentation and Measurement, IEEE Transactions on Volume 46, Issue 6, Dec. 1997 Page(s):1295 - 1299 Digital Object Identifier 10.1109/19.668276 AbstractPlus | References | Full Text: PDF(132 KB) | IEEE JNL Rights and Permissions 4. Multiple reflection attenuation in seismic data using backpropagation Essenreiter, R.; Karrenbach, M.; Treitel, S.; Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing Signal Proc IEEE Transactions on) Volume 46, Issue 7, July 1998 Page(s):2001 - 2011 Digital Object Identifier 10.1109/78.700971 AbstractPlus | References | Full Text: PDF(280 KB) | IEEE JNL Rights and Permissions 5. A recurrent log-linearized Gaussian mixture network

Tsuji, T.; Nan Bu; Fukuda, O.; Kaneko, M.; Neural Networks, IEEE Transactions on

Volume 14, Issue 2, March 2003 Page(s):304 - 316

Digital Object Identifier 10.1109/TNN.2003.809403 AbstractPlus | References | Full Text: PDF(860 KB) | IEEE JNL Rights and Permissions 6. An Experimental Comparison of Three Kinds of Clustering Algorithms П Xuezhi Zheng; Zhihua Cai; Qu Li; Neural Networks and Brain, 2005. ICNN&B '05, International Conference on Volume 2, 13-15 Oct. 2005 Page(s):767 - 771 AbstractPlus | Full Text: PDF(872 KB) | IEEE CNF Rights and Permissions 7. Soft computing for reservoir characterization and management Nikravesh, M.; Granular Computing, 2005 IEEE International Conference on Volume 2, 25-27 July 2005 Page(s):593 - 598 Vol. 2 Digital Object Identifier 10.1109/GRC.2005.1547361 AbstractPlus | Full Text: PDF(3400 KB) IEEE CNF Rights and Permissions 8. Next generation controllers for kiln/cooler and mill applications based on predictive control and neural networks Martin, G.; Lange, T.; Frewin, N.; Cement Industry Technical Conference, 2000 IEEE-IAS/PCA 7-12 May 2000 Page(s):299 - 317 Digital Object Identifier 10.1109/CITCON.2000.848530 AbstractPlus | Full Text: PDF(1220 KB) | IEEE CNF Rights and Permissions 9. Study of a distributed fusion model and its application in oil distribution i Ye Xu; Hai Zhao; Wei-ji Su; Yu Su; Xiao-dan Zhang; Communications, Circuits and Systems, 2005. Proceedings. 2005 Internationa Volume 2, 27-30 May 2005 Page(s): Digital Object Identifier 10.1109/ICCCAS.2005.1495285 AbstractPlus | Full Text: PDF(200 KB) IEEE CNF Rights and Permissions 10. 2004 IEEE International Joint Conference on Neural Networks (IEEE Cat. Neural Networks, 2004. Proceedings. 2004 IEEE International Joint Conference Volume 1, 25-29 July 2004 Page(s):0_1 Full Text: PDF(408 KB) IEEE CNF Rights and Permissions 11. Intelligent reservoir characterization (IRESC) Nikravesh, M.; Hassibi, M.; Industrial Informatics, 2003. INDIN 2003. Proceedings. IEEE International Con 21-24 Aug. 2003 Page(s):369 - 373 Digital Object Identifier 10.1109/INDIN.2003.1300358 AbstractPlus | Full Text: PDF(2090 KB) IEEE CNF Rights and Permissions 12. A synthetic computational-intelligence-based method and its application water-flooded zones in oil field Shi, X.H.; Wang, S.M.; Sui, X.G.; Gao, Y.C.; Lee, H.P.; Liang, Y.C.; Machine Learning and Cybernetics, 2003 International Conference on Volume 3, 2-5 Nov. 2003 Page(s):1741 - 1745 Vol.3 Digital Object Identifier 10.1109/ICMLC.2003.1259778 AbstractPlus | Full Text: PDF(405 KB) IEEE CNF Rights and Permissions

13. Parameter estimation of ARX/NARX model: a neural network based meth Dan Wang; Kai-Yew Lum; Guanghong Yang; Neural Information Processing, 2002. ICONIP '02. Proceedings of the 9th Inter Conference on Volume 3, 18-22 Nov. 2002 Page(s):1109 - 1113 vol.3 AbstractPlus Full Text: PDF(359 KB) IEEE CNF Rights and Permissions
14. Reduction of uncertainties in neural network prediction of oil well logs Barhen, J.; Neural Networks, 2002. IJCNN '02. Proceedings of the 2002 International Join Volume 1, 12-17 May 2002 Page(s):902 - 907 Digital Object Identifier 10.1109/IJCNN.2002.1005594 AbstractPlus Full Text: PDF(465 KB) IEEE CNF Rights and Permissions
15. Training support vector machines: an application to well-log data classifi Yan Hui; Zhang Xuegong; Zhang Xianda; Signal Processing Proceedings, 2000. WCCC-ICSP 2000. 5th International Cc Volume 3, 21-25 Aug. 2000 Page(s):1427 - 1431 vol.3 Digital Object Identifier 10.1109/ICOSP.2000.893369 AbstractPlus Full Text: PDF(296 KB) IEEE CNF Rights and Permissions
16. Fuzzy preprocessing rules for the improvement of an artificial neural net interpretation model Kok Wai Wong; Chun Che Fung; Kok Way Law; TENCON 2000. Proceedings Volume 1, 24-27 Sept. 2000 Page(s):400 - 405 vol.1 Digital Object Identifier 10.1109/TENCON.2000.893697 AbstractPlus Full Text: PDF(396 KB) IEEE CNF Rights and Permissions
17. A modular signal processing model for permeability prediction in petrole Kok Wai Wong; Gedeon, T.; Neural Networks for Signal Processing X, 2000. Proceedings of the 2000 IEEE Processing Society Workshop Volume 2, 11-13 Dec. 2000 Page(s):906 - 915 vol.2 Digital Object Identifier 10.1109/NNSP.2000.890171 AbstractPlus Full Text: PDF(364 KB) IEEE CNF Rights and Permissions
18. A generalised neural-fuzzy well log interpretation model with a reduced r Kok Wai Wong; Chun Che Fung; Myers, D.; Neural Information Processing, 1999. Proceedings. ICONIP '99. 6th Internation Volume 1, 16-20 Nov. 1999 Page(s):188 - 191 vol.1 Digital Object Identifier 10.1109/ICONIP.1999.843984 AbstractPlus Full Text: PDF(332 KB) IEEE CNF Rights and Permissions
19. Log adaptive filters. Structures and analysis for the scalar case Rakijas, M.; Bershad, N.; Acoustics, Speech, and Signal Processing, 1998. ICASSP '98. Proceedings of International Conference on Volume 3, 12-15 May 1998 Page(s):1493 - 1496 vol.3 Digital Object Identifier 10.1109/ICASSP.1998.681732 AbstractPlus Full Text: PDF(288 KB) IEEE CNF Rights and Permissions

Essenreiter, R.; Karrenbach, M.; Treitel, S.; Neural Networks, 1997., International Conference on Volume 4, 9-12 June 1997 Page(s):2157 - 2161 vol.4 Digital Object Identifier 10.1109/ICNN.1997.614240 AbstractPlus Full Text: PDF(400 KB) IEEE CNF Rights and Permissions 22. A study of the use of self-organising map for splitting training and vibackpropagation neural network Kok Wai Wong; Chun Che Fung; Eren, H.; TENCON '96. Proceedings. 1996 IEEE TENCON. Digital Signal Processing Volume 1, 26-29 Nov. 1996 Page(s):157 - 162 vol.1 Digital Object Identifier 10.1109/TENCON.1996.608768 AbstractPlus Full Text: PDF(572 KB) IEEE CNF Rights and Permissions 23. Modular artificial neural network for prediction of petrophysical prograta and the proceedings. Proceedings of the 1991 Digital Object Identifier 10.1109/ICNN.1995.488233 AbstractPlus Full Text: PDF(484 KB) IEEE CNF Rights and Permissions 25. Lithofacies determination from wire-line log data using a distributed Smith, M.; Carmichael, N.; Reid, I.; Bruce, C.; Neural Networks for Signal Processing [1991] Proceedings of the 1991 J 30 Sept. 1 Oct. 1991 Page(s):483 - 492 Digital Object Identifier 10.1109/INNSP.1991.239493 AbstractPlus Full Text: PDF(480 KB) IEEE CNF	Essenreiter, R.; Karrenbach, M.; Treitel, S.; Neural Networks, 1997., International Conference on Volume 4, 9-12 June 1997 Page(s):2157 - 2161 vol.4 Digital Object Identifier 10.1109/ICNN.1997.614240 AbstractPlus Full Text: PDF(400 KB) IEEE CNF Rights and Permissions 22. A study of the use of self-organising map for splitting training and valida backpropagation neural network Kok Wai Wong; Chun Che Fung; Eren, H.; TENCON '96. Proceedings. 1996 IEEE TENCON. Digital Signal Processing A Volume 1, 26-29 Nov. 1996 Page(s):157 - 162 vol.1 Digital Object Identifier 10.1109/TENCON.1996.608768 AbstractPlus Full Text: PDF(572 KB) IEEE CNF Rights and Permissions 23. Modular artificial neural network for prediction of petrophysical propertic data Chun Che Fung; Kok Wai Wong; Eren, H.; Charlebois, R.; Crocker, H.; Instrumentation and Measurement Technology Conference, 1996. IMTC-96. O Proceedings. Quality Measurements: The Indispensable Bridge between The IEEE Volume 2, 1996 Page(s):1010 - 1014 vol.2 Digital Object Identifier 10.1109/IMTC.1996.507317 AbstractPlus Full Text: PDF(436 KB) IEEE CNF Rights and Permissions 24. Lithology classification using self-organising map Chun Che Fung; Kok Wai Wong; Eren, H.; Charlebois, R.; Neural Networks, 1995. Proceedings., IEEE International Conference on Volume 1, 27 Nov1 Dec. 1995 Page(s):526 - 531 vol.1 Digital Object Identifier 10.1109/ICNN.1995.488233 AbstractPlus Full Text: PDF(484 KB) IEEE CNF Rights and Permissions 25. Lithofacies determination from wire-line log data using a distributed neusmith, M.; Carmichael, N.; Reid, I.; Bruce, C.; Neural Networks for Signal Processing [1991]., Proceedings of the 1991 IEEE 30 Sept1 Oct. 1991 Page(s):483 - 492 Digital Object Identifier 10.1109/INNSP.1991.239493		Larsen, J.; Nonboe, L.; Hintz-Madsen, M.; Hansen, L.K.; Acoustics, Speech, and Signal Processing, 1998. ICASSP '98. Proceedings of International Conference on Volume 2, 12-15 May 1998 Page(s):1205 - 1208 vol.2 Digital Object Identifier 10.1109/ICASSP.1998.675487 AbstractPlus Full Text: PDF(360 KB) IEEE CNF Rights and Permissions
backpropagation neural network Kok Wai Wong; Chun Che Fung; Eren, H.; TENCON'96. Proceedings. 1996 IEEE TENCON. Digital Signal Processive Volume 1, 26-29 Nov. 1996 Page(s):157 - 162 vol.1 Digital Object Identifier 10.1109/TENCON.1996.608768 AbstractPlus Full Text: PDF(572 KB) IEEE CNF Rights and Permissions 23. Modular artificial neural network for prediction of petrophysical properties of the proceedings. Research Rights and Permissions 23. Modular artificial neural network for prediction of petrophysical properties. Rights and Permissions 24. Lithology Calaity Measurement Technology Conference, 1996. IMTC-1996; IMTC-199	backpropagation neural network Kok Wai Wong; Chun Che Fung; Eren, H.; TENCON '96. Proceedings. 1996 IEEE TENCON. Digital Signal Processing A Volume 1, 26-29 Nov. 1996 Page(s):157 - 162 vol.1 Digital Object Identifier 10.1109/TENCON.1996.608768 AbstractPlus Full Text: PDF(572 KB) IEEE CNF Rights and Permissions 23. Modular artificial neural network for prediction of petrophysical propertic data Chun Che Fung; Kok Wai Wong; Eren, H.; Charlebois, R.; Crocker, H.; Instrumentation and Measurement Technology Conference, 1996. IMTC-96. Of Proceedings. 'Quality Measurements: The Indispensable Bridge between The IEEE Volume 2, 1996 Page(s):1010 - 1014 vol.2 Digital Object Identifier 10.1109/IMTC.1996.507317 AbstractPlus Full Text: PDF(436 KB) IEEE CNF Rights and Permissions 24. Lithology classification using self-organising map Chun Che Fung; Kok Wai Wong; Eren, H.; Charlebois, R.; Neural Networks, 1995. Proceedings., IEEE International Conference on Volume 1, 27 Nov1 Dec. 1995 Page(s):526 - 531 vol.1 Digital Object Identifier 10.1109/ICNN.1995.488233 AbstractPlus Full Text: PDF(484 KB) IEEE CNF Rights and Permissions 25. Lithofacies determination from wire-line log data using a distributed neu Smith, M.; Carmichael, N.; Reid, I.; Bruce, C.; Neural Networks for Signal Processing [1991]., Proceedings of the 1991 IEEE 30 Sept1 Oct. 1991 Page(s):483 - 492 Digital Object Identifier 10.1109/NNSP.1991.239493 AbstractPlus Full Text: PDF(480 KB) IEEE CNF		Essenreiter, R.; Karrenbach, M.; Treitel, S.; Neural Networks,1997 International Conference on Volume 4, 9-12 June 1997 Page(s):2157 - 2161 vol.4 Digital Object Identifier 10.1109/ICNN.1997.614240 AbstractPlus Full Text: PDF(400 KB) IEEE CNF
data Chun Che Fung; Kok Wai Wong; Eren, H.; Charlebois, R.; Crocker, H.; Instrumentation and Measurement Technology Conference, 1996. IMTC-9 Proceedings. 'Quality Measurements: The Indispensable Bridge between IEEE Volume 2, 1996 Page(s):1010 - 1014 vol.2 Digital Object Identifier 10.1109/IMTC.1996.507317 AbstractPlus Full Text: PDF(436 KB) IEEE CNF Rights and Permissions 24. Lithology classification using self-organising map Chun Che Fung; Kok Wai Wong; Eren, H.; Charlebois, R.; Neural Networks, 1995. Proceedings., IEEE International Conference on Volume 1, 27 Nov1 Dec. 1995 Page(s):526 - 531 vol.1 Digital Object Identifier 10.1109/ICNN.1995.488233 AbstractPlus Full Text: PDF(484 KB) IEEE CNF Rights and Permissions 25. Lithofacies determination from wire-line log data using a distributed Smith, M.; Carmichael, N.; Reid, I.; Bruce, C.; Neural Networks for Signal Processing [1991] Proceedings of the 1991 I 30 Sept1 Oct. 1991 Page(s):483 - 492 Digital Object Identifier 10.1109/NNSP.1991.239493 AbstractPlus Full Text: PDF(480 KB) IEEE CNF	data Chun Che Fung; Kok Wai Wong; Eren, H.; Charlebois, R.; Crocker, H.; Instrumentation and Measurement Technology Conference, 1996. IMTC-96. C Proceedings. 'Quality Measurements: The Indispensable Bridge between The IEEE Volume 2, 1996 Page(s):1010 - 1014 vol.2 Digital Object Identifier 10.1109/IMTC.1996.507317 AbstractPlus Full Text: PDF(436 KB) IEEE CNF Rights and Permissions 24. Lithology classification using self-organising map Chun Che Fung; Kok Wai Wong; Eren, H.; Charlebois, R.; Neural Networks, 1995. Proceedings., IEEE International Conference on Volume 1, 27 Nov1 Dec. 1995 Page(s):526 - 531 vol.1 Digital Object Identifier 10.1109/ICNN.1995.488233 AbstractPlus Full Text: PDF(484 KB) IEEE CNF Rights and Permissions 25. Lithofacies determination from wire-line log data using a distributed neu Smith, M.; Carmichael, N.; Reid, I.; Bruce, C.; Neural Networks for Signal Processing [1991]., Proceedings of the 1991 IEEE 30 Sept1 Oct. 1991 Page(s):483 - 492 Digital Object Identifier 10.1109/NNSP.1991.239493 AbstractPlus Full Text: PDF(480 KB) IEEE CNF		backpropagation neural network Kok Wai Wong; Chun Che Fung; Eren, H.; TENCON '96. Proceedings. 1996 IEEE TENCON. Digital Signal Processing A Volume 1, 26-29 Nov. 1996 Page(s):157 - 162 vol.1 Digital Object Identifier 10.1109/TENCON.1996.608768 AbstractPlus Full Text: PDF(572 KB) IEEE CNF
Chun Che Fung; Kok Wai Wong; Eren, H.; Charlebois, R.; Neural Networks, 1995. Proceedings., IEEE International Conference on Volume 1, 27 Nov1 Dec. 1995 Page(s):526 - 531 vol.1 Digital Object Identifier 10.1109/ICNN.1995.488233 AbstractPlus Full Text: PDF(484 KB) IEEE CNF Rights and Permissions 25. Lithofacies determination from wire-line log data using a distributed Smith, M.; Carmichael, N.; Reid, I.; Bruce, C.; Neural Networks for Signal Processing [1991]., Proceedings of the 1991 I 30 Sept1 Oct. 1991 Page(s):483 - 492 Digital Object Identifier 10.1109/NNSP.1991.239493 AbstractPlus Full Text: PDF(480 KB) IEEE CNF	Chun Che Fung; Kok Wai Wong; Eren, H.; Charlebois, R.; Neural Networks, 1995. Proceedings., IEEE International Conference on Volume 1, 27 Nov1 Dec. 1995 Page(s):526 - 531 vol.1 Digital Object Identifier 10.1109/ICNN.1995.488233 AbstractPlus Full Text: PDF(484 KB) IEEE CNF Rights and Permissions 25. Lithofacies determination from wire-line log data using a distributed neu Smith, M.; Carmichael, N.; Reid, I.; Bruce, C.; Neural Networks for Signal Processing [1991]., Proceedings of the 1991 IEEE 30 Sept1 Oct. 1991 Page(s):483 - 492 Digital Object Identifier 10.1109/NNSP.1991.239493 AbstractPlus Full Text: PDF(480 KB) IEEE CNF	ū	data Chun Che Fung; Kok Wai Wong; Eren, H.; Charlebois, R.; Crocker, H.; Instrumentation and Measurement Technology Conference, 1996. IMTC-96. (Proceedings. 'Quality Measurements: The Indispensable Bridge between The IEEE Volume 2, 1996 Page(s):1010 - 1014 vol.2 Digital Object Identifier 10.1109/IMTC.1996.507317 AbstractPlus Full Text: PDF(436 KB) IEEE CNF
Smith, M.; Carmichael, N.; Reid, I.; Bruce, C.; Neural Networks for Signal Processing [1991]., Proceedings of the 1991 I 30 Sept1 Oct. 1991 Page(s):483 - 492 Digital Object Identifier 10.1109/NNSP.1991.239493 AbstractPlus Full Text: PDF(480 KB) IEEE CNF	Smith, M.; Carmichael, N.; Reid, I.; Bruce, C.; Neural Networks for Signal Processing [1991] Proceedings of the 1991 IEEE 30 Sept1 Oct. 1991 Page(s):483 - 492 Digital Object Identifier 10.1109/NNSP.1991.239493 AbstractPlus Full Text: PDF(480 KB) IEEE CNF		Chun Che Fung; Kok Wai Wong; Eren, H.; Charlebois, R.; Neural Networks, 1995. Proceedings., IEEE International Conference on Volume 1, 27 Nov1 Dec. 1995 Page(s):526 - 531 vol.1 Digital Object Identifier 10.1109/ICNN.1995.488233 AbstractPlus Full Text: PDF(484 KB) IEEE CNF
Rights and Fermissions			Smith, M.; Carmichael, N.; Reid, I.; Bruce, C.; Neural Networks for Signal Processing [1991]., Proceedings of the 1991 IEEE 30 Sept1 Oct. 1991 Page(s):483 - 492 Digital Object Identifier 10.1109/NNSP.1991.239493 AbstractPlus Full Text: PDF(480 KB) IEEE CNF

Help Contact Us Privacy & :

© Copyright 2006 IEEE -

面Inspec*



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

Fri, 22 Sep 2006, 11:02:44 PM EST

Search Query Display

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

	<u> </u>
Recent	t Search Queries
<u>#1</u>	(((neural <near> networks <near> ensemble) <and> (genetic <near> algorithm) <and> oil)<in>metadata)</in></and></near></and></near></near>
<u>#2</u>	(((neural <near> networks <near> ensemble) <and> (genetic <near> algorithm) <and> well)<in>metadata)</in></and></near></and></near></near>
<u>#3</u>	(((neural <near> networks <near> ensemble) <and> (genetic <near> algorithm) <and> well)<in>metadata)</in></and></near></and></near></near>
<u>#4</u>	(((neural <near> networks <near> ensemble) <and> (genetic <near> algorithm) <and> (pulse <near> neutron))<in>metadata)</in></near></and></near></and></near></near>
<u>#5</u>	(((neural <near> networks) <and> (pulse <near> neutron)) <in>metadata)</in></near></and></near>
<u>#6</u>	(((neural <near> networks) <and> (pulse <near> neutron)) <in>metadata)</in></near></and></near>
<u>#7</u>	(((neural <near> networks) <and> (well <near> logging <near> data))<in>metadata)</in></near></near></and></near>
<u>#8</u>	(((neural <near> networks) <and> (well <near> logging <near> data))<in>metadata)</in></near></near></and></near>
<u>#9</u>	(((neural <near> networks) <and> (well <near> logging <near> data))<in>metadata)</in></near></near></and></near>
	All the state of t

indexed by inspec*

Help Contact Us Privacy & :

© Copyright 2006 IEEE -